

Safety Data Sheet

LOCTITE 675

Page 1 of 11

SDS No. : 173018 V001.3 Revision: 11.08.2016 printing date: 01.10.2018

Section 1. Identification of the substance/preparation and of the company/undertaking			
Product name:	LOCTITE 675		
Other means of identification: Product code: Recommended use of the chemica	LOCTITE 675 BO 250ML EGFD IDH195851 al and restrictions on use		
Intended use:	Anaerobic Adhesive		
Identification of manufacturer, in Importer: Henkel Philippines I Diezmo, Cabuyao, Laguna, Phil	nc. LSL Bldg. 2, Diode St., Light Industry and Science Park of the Philippines I, Brgy.		
E-mail address of person responsible for Safety Data Sheet:	ap-ua-psra.sea@henkel.com		
Emergency information:	FOR EMERGENCIES ONLY (Spill, major leak, Fire, Exposure, or Accident). Call CHEMTREC: +1 703-741-5970		

Section 2. Hazards identification

GHS Classification:

Hazard Class	Hazard Category	Target organ
Skin corrosion/irritation	Category 2	
Serious eye damage/eye irritation	Category 1	
Skin sensitizer	Category 1	
Specific target organ toxicity -	Category 3	respiratory tract irritation
single exposure		
Chronic hazards to the aquatic	Category 3	
environment		

GHS label elements:

Hazard pictogram:



Signal word:

Hazard statement:	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.
Precaution:	
Prevention:	 P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response:	 P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.
Storage:	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Section 3. Composition / information on ingredients

Substance or Mixture:

Mixture

Declaration of hazardous chemical:

Hazard component CAS-No.	Content	GHS Classification
2,2'-Ethylenedioxydiethyl dimethacrylate	60- 100 %	Skin sensitizer 1
109-16-0		H317
Acrylic acid	1- 10 %	Flammable liquids 3
79-10-7		H226
		Acute toxicity 4; Oral
		H302
		Acute toxicity 4; Inhalation
		H332
		Acute toxicity 4; Dermal
		H312
		Skin corrosion/irritation 1A
		H314
		Specific target organ toxicity - single exposure 3
		H335
		Acute hazards to the aquatic environment 1
		H400
		Chronic hazards to the aquatic environment 2
		H411
Cumene hydroperoxide	1- 10 %	Organic peroxides E
80-15-9		H242
		Acute toxicity 4; Oral
		H302
		Acute toxicity 3; Inhalation H331
		Acute toxicity 4; Dermal H312
		Skin corrosion/irritation 1B
		H314
		Specific target organ toxicity - repeated exposure 2
		H373
		Chronic hazards to the aquatic environment 2
		H411
		11711

Move to fresh air. If symptoms persist, seek medical advice. Rinse with running water and soap.
Seek medical advice.
Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.
See section: Description of first aid measures

Section 5. Fire fighting measures

Suitable extinguishing media:

Carbon dioxide, foam, powder

Special protection equipment and precautions for firefighters:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.	
Hazardous combustion products:	Trace amounts of toxic and/or irritating fumes may be released and the use of breathing apparatus is recommended.	
	Section 6. Accidental release measures	
Personal precautions:	Avoid skin and eye contact.	
Environmental precautions:	Do not let product enter drains.	
Clean-up methods:	For small spills wipe up with paper towel and place in container for disposal. For large spills absorb onto inert absorbent material and place in sealed container for disposal.	
	Section 7. Handling and storage	
Handling:	Use only in well-ventilated areas. Avoid skin and eye contact. Prolonged or repeated skin contact should be avoided See advice in section 8	

Storage:

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to containers as contamination may reduce the shelf life of the bulk product.

Components with specific control parameters for workplace:

ACRYLIC ACID 79-10-7	Value type	Time Weighted Average (TWA):		
	ppm	2		
	Remarks	ACGIH		
ACRYLIC ACID 79-10-7	Value type	Skin designation:		
	Remarks	ACGIH Can be absorbed through the skin.		
Respiratory protection:	Ensure adequ	ate ventilation.		
		mask or respirator fitted with an organic vapour cartridge should be worn if		
		s used in a poorly ventilated area		
	Filter type: A	(EN 14387)		
Hand protection:	Chemical-res	istant protective gloves (EN 374).		
-	Suitable materials for short-term contact or splashes (recommended: at least protection			
		esponding to > 30 minutes permeation time as per EN 374):		
		nitrile rubber (NBR; >= 0.4 mm thickness)		
	Suitable materials for longer, direct contact (recommended: protection index 6,			
	corresponding to > 480 minutes permeation time as per EN 374):			
	nitrile rubber (NBR; $>= 0.4$ mm thickness)			
	This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in			
	practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the			
	many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the			
	gloves should be replaced.			
	giores should			
Eye protection:	Wear protect	ive glasses.		
		e equipment should conform to EN166.		
Body protection:	Wear suitable	e protective clothing.		
• •		othing should conform to EN 14605 for liquid splashes or to EN 13982 for		
	dusts.			
Engineering controls:	Ensure good	ventilation/extraction.		
5 5	6			
Hygienic measures:		Wash hands before work breaks and after finishing work. Do not eat, drink or smoke while		
	working. Goo	od industrial hygiene practices should be observed.		

Section 9. Physical and chemical properties

Appearance: green liquid Odor: characteristic No data available. **Odor threshold (CA):** No data available. pH: Melting point / freezing point: No data available. Specific gravity: No data available. No data available. **Boiling point:** > 100 °C (> 212 °F) Flash point: No data available. **Evaporation rate:** Flammability (solid, gas): No data available. Lower explosive limit: No data available. Upper explosive limit: No data available.

Page 5 of 11

LOCTITE 675

Vapor pressure: (; 25 °C (77 °F))	< 0.2 mbar
Vapor density:	No data available.
Density:	1.08 g/cm3
Solubility:	No data available.
Partition coefficient: n- octanol/water:	No data available.
Auto ignition:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
VOC content: (2010/75/EC)	< 4 %

Section 10. Stability and reactivity

Reactivity/Incompatible materials:	Reacts with strong oxidants.
Chemical stability:	Stable under recommended storage conditions.
Conditions to avoid:	Stable
Hazardous decomposition	carbon oxides.
products:	May produce fumes when heated to decomposition. Fumes may contain carbon monoxide and other toxic fumes.

Section 11. Toxicological information

Symptoms of Overexposure:	EYE: Irritation, conjunctivitis. SKIN: Redness, inflammation. RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness. SKIN: Rash, Urticaria.

Acute oral toxicity:

2,2'-Ethylenedioxydiethyl	Value type	LD50
dimethacrylate	Value	10,837 mg/kg
109-16-0	Species	rat
	Method	
Acrylic acid	Value type	LD50
79-10-7	Value	1,500 mg/kg
	Species	rat
	Method	BASF Test
Cumene hydroperoxide	Value type	LD50
80-15-9	Value	550 mg/kg
	Species	rat
	Method	

Acute inhalative toxicity:

Acrylic acid	Value type	LC50
79-10-7	Value	> 5.1 mg/l
	Exposure time	4 h
	Species	rat
	Method	OECD Guideline 403 (Acute Inhalation Toxicity)
Acrylic acid	Value type	Acute toxicity estimate (ATE)
79-10-7	Value	11 mg/l
	Exposure time	
	Species	
	Method	Expert judgement

Acute dermal toxicity:

Acrylic acid	Value type	Acute toxicity estimate (ATE)
79-10-7	Value	1,100 mg/kg
	Species	
	Method	Expert judgement
Acrylic acid	Value type	LD50
79-10-7	Value	> 2,000 mg/kg
	Species	rabbit
	Method	OECD Guideline 402 (Acute Dermal Toxicity)
Cumene hydroperoxide	Value type	LD50
80-15-9	Value	1,200 - 1,520 mg/kg
	Species	
	Method	

Skin corrosion/irritation:

Acrylic acid	Result	highly corrosive	
79-10-7	Exposure time	3 min	
	Species	rabbit	
	Method	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)	
Cumene hydroperoxide	Result	corrosive	
80-15-9	Exposure time		
	Species	rabbit	
	Method	Draize Test	

Serious eye damage/irritation:

2,2'-Ethylenedioxydiethyl dimethacrylate	Result	slightly irritating
109-16-0	Exposure time	24 h
	Species	rabbit
	Method	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Acrylic acid	Result	corrosive
79-10-7	Exposure time	21 d
	Species	rabbit
	Method	BASF Test

Respiratory or skin sensitization:

Acrylic acid	Result	not sensitising
79-10-7	Test type	Skin painting test
	Species	guinea pig
	Method	

Germ cell mutagenicity:

Acrylic acid	Result	negative	
79-10-7	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)	
	Metabolic activation / Exposure time	with and without	
	Method		
Cumene hydroperoxide	Result	positive	
80-15-9	Type of study / Route of administration	bacterial reverse mutation assay (e.g Ames test)	
	Metabolic activation / Exposure time	without	
	Method	OECD Guideline 471 (Bacterial Reverse Mutation Assay)	
Cumene hydroperoxide	Result	negative	
80-15-9	Type of study / Route of administration	dermal	
	Metabolic activation / Exposure time		
	Species	mouse	
	Method		

Repeated dose toxicity:

Cumene hydroperoxide	Result	
80-15-9	Route of application	inhalation: aerosol
	Exposure time / Frequency of treatment	6 h/d5 d/w
	Species	rat
	Method	

Section 12. Ecological information

Ecotoxicity:

Harmful to aquatic life with long lasting effects., Do not empty into drains / surface water / ground water.

Toxicity:

2,2'-Ethylenedioxydiethyl	Value type	LC50
dimethacrylate	Value	16.4 mg/l
109-16-0	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Acrylic acid	Value type	LC50
79-10-7	Value	27 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Salmo gairdneri (new name: Oncorhynchus mykiss)
	Method	EPA OTS 797.1400 (Fish Acute Toxicity Test)
Acrylic acid	Value type	EC10
79-10-7	Value	0.03 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
	Value type	EC50
	Value	0.13 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Acrylic acid	Value type	EC10
79-10-7	Value	41 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	16 h
	Species	
	Method	
Cumene hydroperoxide	Value type	LC50
80-15-9	Value	3.9 mg/l
	Acute Toxicity Study	Fish
	Exposure time	96 h
	Species	Oncorhynchus mykiss
	Method	OECD Guideline 203 (Fish, Acute Toxicity Test)
Cumene hydroperoxide	Value type	EC50
80-15-9	Value	18 mg/l

	Acute Toxicity Study	Daphnia
	Exposure time	48 h
	Species	Daphnia magna
	Method	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Cumene hydroperoxide	Value type	ErC50
80-15-9	Value	3.1 mg/l
	Acute Toxicity Study	Algae
	Exposure time	72 h
	Species	Pseudokirchnerella subcapitata
	Method	OECD Guideline 201 (Alga, Growth Inhibition Test)
Cumene hydroperoxide	Value type	EC10
80-15-9	Value	70 mg/l
	Acute Toxicity Study	Bacteria
	Exposure time	30 min
	Species	
	Method	

Persistence and degradability:

2,2'-Ethylenedioxydiethyl	Result	readily biodegradable	
dimethacrylate	Route of application		
109-16-0	Degradability	85 %	
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)	
Acrylic acid	Result	readily biodegradable	
79-10-7	Route of application	aerobic	
	Degradability	81 %	
	Method	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)	
	Result	inherently biodegradable	
	Route of application	aerobic	
	Degradability	100 %	
	Method	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA	
		Test)	
Cumene hydroperoxide	Result		
80-15-9	Route of application	no data	
	Degradability	0 %	
	Method	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)	

Bioaccumulative potential / Mobility in soil:

2,2'-Ethylenedioxydiethyl	LogKow	1.88
dimethacrylate	Temperature	
109-16-0	Method	
Acrylic acid	Bioconcentration factor (BCF)	3.16
79-10-7	Exposure time	
	Species	
	Temperature	
	Method	
Acrylic acid	LogKow	0.46
79-10-7	Temperature	25 °C
	Method	OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)
Cumene hydroperoxide	Bioconcentration factor (BCF)	9.1
80-15-9	Exposure time	
	Species	calculation
	Temperature	
	Method	OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)
Cumene hydroperoxide	LogKow	2.16
80-15-9	Temperature	
	Method	

Section 13. Disposal considerations

Product

Dispose of in accordance with local and national regulations. Method of disposal:

Packaging

Disposal of uncleaned packages: After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Section 14. Transport information

Road transport ADR: Not dangerous goods

Railroad transport RID:

Not dangerous goods

Inland water transport ADN: Not dangerous goods

Marine transport IMDG: Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

Department Order No. 136-14 Guidelines for the Implementation of Global Harmonised System **Regulatory Information:** (GHS) in Chemical Safety Program in the Workplace

Global inventory status:

Regulatory list	Notification
TSCA	yes
AICS	yes
DSL	yes
ENCS (JP)	yes
KECI (KR)	yes
PICCS (PH)	yes
IECSC	yes
ISHL (JP)	yes
NZIOC	yes

Section 16. Other information

Disclaimer:

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.